GRAPE (Vitis interspecific hybrid 'Vignoles') Botrytis fruit rot; Botrytis cinerea Sour rot; Saccharomyces yeast, acetic acid bacteria Powdery mildew; Erysiphe necator K.A. Neugebauer, R.W. Sysak, R.L. Smith, and T.D. Miles Department of Plant, Soil and Microbial Sciences Michigan State University, East Lansing, MI 48824

Evaluation of fungicides for control of cluster rot and powdery mildew on wine grapes, 2023.

The experiment was conducted in a commercial vineyard in Berrien Springs, MI. Vines were spaced at 7 x 9 ft and were cordon-trained on a 2-wire trellis and hand pruned. Treatments were applied to 3-vine plots and were replicated four times in a randomized complete block design. Sprays were applied with a RYOBI ONE+ 18v Cordless Battery 4 Gallon Backpack Chemical Sprayer with the adjustable nozzle. Spray volume was 50 gpa. Spray dates and approximate phenological stages were as follows: 7 June (6-12" shoot), 19 June (bloom), 26 June (1st post bloom), 5 July (2nd post bloom), 17 July (3rd post bloom), 24 July (4th post bloom), 31 July (5th post bloom), 7 August (6th post bloom), 14 August (7th post bloom), 26 August (8th post bloom, 12 Brix), and 9 September (9th post bloom). Rainfall between sprays was 0.92, 0.81, 0.23, 1.03, 0.02, 5.81, 1.12, 0.42, 1.33, and 0.0 in., respectively. There was 1.11in rainfall between the last spray and the disease ratings. Cluster rot (consisting of botrytis fruit rot and sour rot) and powdery mildew on leaves were rated on 16 September. Both diseases were rated by visually assessing 25 randomly selected leaves or clusters taken from the center vine in each plot. Incidence was defined as the percent of clusters or leaves exhibiting disease and severity was defined as the percent of clusters or leaves exhibiting disease and severity was defined as the percent of clusters or leaves exhibiting disease and severity was defined as the percent of clusters or leaves exhibiting disease and severity was defined as the percentage of diseased surface area on diseased samples only. Overall severity was calculated as (incidence x severity)/100. Vines were monitored for signs of phytotoxicity throughout the season and none was observed.

		Cluster rot, rated 9/16/23						
Treatment, rate/A	Application timing ^z	Incidence (%)	Severity (%) ^x	Overall severity (%) ^x	Control [%] ^y			
Untreated		73.0 a	65.7 a	47.9 a	L` *J			
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
Armicarb O 5 lbs/100gal + Entrust 6oz	10, 11	50.0 b	21.3 b	10.7 b	[78]			
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
Sil-Matrix 1%v/v + Entrust 6oz	10, 11	46.0 bc	18.9 bc	8.8 bc	[82]			
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz Pristine 23 oz	5, 9,							
Vangard 10 oz	7, 8,							
Sonata 4 qt + Entrust 6oz	o, 10, 11	44.0 bc	16.9 c	7.7 с	[84]			
Manzate Max 0.56 gal	1, 2,		10.9 C	7.7 C	[٣٠]			
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
JMS Stylet Oil 2gal/100gal + Entrust 6oz		43.0 c	20.7 bc	9.0 bc	[81]			
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
PureSprayGreen 3gal/100 + Entrust 6oz	10, 11	32.0 d	7.9 de	2.5 d	[95]			
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,	20.0 1	0.2 1		[0.5]			
Actinovate AG 12 oz + Entrust 6oz	10, 11	29.0 de	8.3 d	2.4 d	[95]			
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz Vivando 15.4 floz	4, 6, 5, 9,							
Pristine 23 oz								
Vangard 10 oz	7, 8,							
LifeGard 4.5oz/100gal + Entrust 6oz	o, 10, 11	24.0 ef	7.8 de	1.8 de	[96]			
Enecara nooz rooga + Enaust ooz	10, 11	27.0 01	7.0 UC	1.0 40	[70]			

Marrie Marrie 56 and	1.0							
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
Serifel 16 oz + Entrust 6oz	10, 11	23.0	ef	7.9	de	1.8	de	[96]
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
Oso 6.5 oz + Entrust 6oz	10, 11	23.0	ef	7.5	def	1.7	de	[96]
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
Stargus 2 qt + Entrust 6oz	10 11	19.0	f	5.8	ef	1.1	e	[98]
Manzate Max 0.56 gal	1, 2, 3, 4, 6							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
ProBlad 40 floz + Entrust 6oz	10, 11	18.0	f	5.4	f	1.0	e	[98]
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
Switch 14 oz + NuFilmP 0.125%	10, 11							
Mustang Maxx 6 oz	10, 11	1.0	g	0.5	g	0.02	f	[99]
	10,11	1.0	<u> </u>	0.5	g	0.02	1	[77]

^zSpray dates: 1 = 7 June (6-12in shoot), 2 = 19 June (bloom), 3 = 26 June (1st post bloom), 4 = 5 July (2nd post bloom), 5 = 17 July (3rd post bloom), 6 = 24 July (4th post bloom), 7 = 31 July (5th post bloom), 8 = 7 August (6th post bloom), 9 = 14 August (7th post bloom), 10 = 26 August (8th post bloom), and 11 = 2 September (9th post bloom).

^yBracketed values denote percent control relative to the untreated check.

^x Values shown are actual means; statistical analysis was performed on square-root(x) transformed data.

		Powdery Mildew, rated 9/16/23						
Treatment, rate/A	Application timing ^z	Incidence (%)	Severity (%)	Overall severity (%) ^x	Control [%] ^y			
Untreated		76.0 a	62.0 a	47.2 a	L _			
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
Armicarb O 5 lbs/100gal + Entrust 6oz	10, 11	31.0 b	9.0 c	3.1 b	[93]			
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz Vivando 15.4 floz	4, 6, 5, 9,							
Pristine 23 oz	5, 9, 7							
Vangard 10 oz	7, 8,							
Sonata 4 qt + Entrust 6oz	10, 11	26.0 bc	9.6 bc	2.6 b	[94]			
Manzate Max 0.56 gal	1, 2,	20.0 00	9.0 00	2.0 0	[7]			
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
JMS Stylet Oil 2gal/100gal + Entrust 6oz	10, 11	24.0 c	12.2 b	3.0 b	[94]			
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7, 8,							
Vangard 10 oz Sil-Matrix 1% v/v + Entrust 6oz	o, 10, 11	22.0 c	8.8 c	2.1 b	[95]			
Manzate Max 0.56 gal		22.0 c	8.8 c	2.1 0	[93]			
Abound 15.5 floz	1, 2, 3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
Serifel + Entrust 6oz	10, 11	14.0 d	4.9 d	0.7 c	[98]			
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,	12.0 1	4 1 1.	0.5	[00]			
Stargus + Entrust 6oz	10, 11	13.0 d	4.1 de	0.5 c	[99]			
Manzate Max 0.56 gal Abound 15.5 floz	1, 2, 3,							
Rhyme 5 floz	3, 4, 6,							
Vivando 15.4 floz	4, 0, 5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	, 8,							
ProBlad + Entrust 6oz	10, 11	9.0 de	3.4 def	0.3 cd	[99]			
				-	L · J			

Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
PureSpray + Entrust 6oz	10, 11	4.0	ef	1.7	ef	0.3	d	[99]
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3, 4, 6,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
Actinovate + Entrust 6oz	10, 11	4.0	ef	1.3	ef	0.2	d	[99]
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
LifeGard + Entrust 6oz	10, 11	3.0	ef	1.7	ef	0.2	d	[99]
Manzate Max 0.56 gal	1, 2, 3, 4							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	8,							
Oso + Entrust 6oz	10, 11	3.0	ef	0.8	f	0.09	d	[99]
Manzate Max 0.56 gal	1, 2,							
Abound 15.5 floz	3,							
Rhyme 5 floz	4, 6,							
Vivando 15.4 floz	5, 9,							
Pristine 23 oz	7,							
Vangard 10 oz	, 8,							
Switch 14 oz + NuFilmP 0.125%	10, 11							
Mustang Maxx 6 oz	10, 11	2.0	f	0.9	f	0.07	d	[99]
	10, 11	2.0	1	0.9	1	0.07	d	[77]

^zSpray dates: 1 = 7 June (6-12in shoot), 2 = 19 June (bloom), 3 = 26 June (1st post bloom), 4 = 5 July (2nd post bloom), 5 = 17 July (3rd post bloom), 6 = 24 July (4th post bloom), 7 = 31 July (5th post bloom), 8 = 7 August (6th post bloom), 9 = 14 August (7th post bloom), 10 = 26 August (8th post bloom), and 11 = 2 September (9th post bloom).

^yBracketed values denote percent control relative to the untreated check.

^x Values shown are actual means; statistical analysis was performed on square-root(x) transformed data.