

TABLE 8L.

IONIA, INGHAM & HURON COUNTY SILAGE TRIALS - LATE (105 Day and Later)

ZONE 2

2003		IONIA - ZONE 2											INGHAM - ZONE 2												
Brand / Hybrid	RM	%DM	GT/A	DT/A	%Std	%ivd	%adf	%ndf	%cp	strch	MK/T	MK/A	%DM	GT/A	DT/A	%Std	%ivd	%adf	%ndf	%cp	strch	MK/T	MK/A		
BLACKLAND GENETICS BG4395	105	41.7	18.9	7.9	82	79.6	22.0	41.5	7.6	37.5	3258	25419	35.3	19.9	*	7.0	91	81.0	22.0	41.1	7.8	34.5	3465	24211	
CORN BELT C599	109	41.0	21.6	*	8.9	92	82.4	17.9	35.1	6.5	45.6	3443	30538	35.0	20.0	*	7.0	100	81.7	22.0	39.7	6.4	37.0	3527	24571
DAIRYLAND Hi DF-4200	108	44.0	18.8	8.3	88	83.7	16.6	33.4	7.4	46.3	3439	28393	39.3	18.1	*	7.1	100	82.2	21.8	40.3	6.6	37.9	3507	24787	
DAIRYLAND STEALTH-1606	106	43.5	17.9	7.8	88	84.2	15.3	31.0	6.8	49.8	3468	27050	34.7	19.4	6.7	100	81.2	22.3	39.4	6.3	38.4	3484	23324		
DEKALB DKC58-24 (RR/YGCB)	108	43.4	19.0	8.3	98	81.6	18.0	35.5	6.9	45.6	3287	27242	40.2	15.9	6.4	100	81.4	22.2	41.1	6.5	36.8	3418	21727		
GOLDEN HARVEST H-8562	106	41.7	19.3	8.1	85	81.7	18.5	36.2	7.5	43.9	3361	27046	38.5	18.2	6.9	95	81.0	22.0	39.5	6.2	39.2	3397	23577		
GOLDEN HARVEST H-8618Bt	106	41.9	19.9	8.4	92	81.9	19.5	37.6	7.5	41.2	3403	28373	36.4	19.6	*	7.1	94	80.1	24.4	43.7	6.0	34.1	3412	24253	
GOLDEN HARVEST H-8906	111	41.0	20.4	8.4	93	83.7	17.8	34.8	6.8	45.8	3560	29704	37.8	20.3	**	7.6	99	82.8	20.2	37.4	6.8	40.5	3552	26915	
GREAT LAKES 5961Bt	111	44.7	19.7	*	8.8	96	83.9	16.6	33.3	6.9	46.9	3443	30257	37.7	18.7	*	7.0	99	83.4	19.9	36.4	6.3	41.1	3587	25019
GREAT LAKES 6148RR	111	42.7	21.9	**	9.4	97	83.6	16.5	33.5	6.7	47.5	3478	32649	34.8	20.2	*	7.0	99	81.2	22.1	40.0	6.7	36.8	3487	24411
GREAT LAKES Quad-5Bt	108	44.7	19.6	*	8.8	96	84.4	16.1	32.3	7.3	47.3	3463	30280	36.5	18.2	6.6	99	81.8	22.3	40.3	6.7	35.8	3534	23448	
HIGH CYCLE HC560	110	44.2	19.8	*	8.7	89	82.7	18.4	35.8	7.4	45.1	3374	29447	36.6	20.1	*	7.3	100	80.9	23.4	42.0	6.8	34.7	3451	25275
HIGH CYCLE HC7644Bt	105	45.0	19.8	*	8.9	89	80.4	19.9	37.6	8.0	40.8	3178	28209	35.3	20.4	*	7.2	96	80.2	22.5	40.5	7.1	35.8	3391	24353
HIGH CYCLE HC7698Rb	107	41.7	18.2	7.6	94	82.1	19.6	37.9	7.3	40.2	3435	26105	40.1	16.6	6.6	100	79.8	18.7	38.5	5.9	35.5	3309	21838		
HIGH CYCLE HC7796Rb	110	44.3	17.9	7.9	95	83.0	16.8	33.0	6.9	47.1	3362	26625	38.8	18.8	*	7.3	100	81.7	22.0	39.4	6.3	39.3	3470	25343	
NK Brand N48-V8	105	44.8	20.7	*	9.3	90	82.5	19.3	37.5	6.7	43.2	3371	31135	38.2	17.4	6.6	100	79.7	24.5	45.4	6.1	30.4	3366	22202	
NK Brand N58-D1	107	44.8	20.0	*	9.0	94	84.2	16.2	32.6	6.9	47.5	3452	30960	35.0	19.1	6.7	99	80.5	23.1	41.1	6.5	35.6	3423	22689	
NK Brand N59-Q9	106	42.7	19.3	8.2	90	84.1	16.1	32.5	6.7	46.9	3518	28834	37.2	19.7	*	7.2	99	82.2	21.3	38.9	6.2	38.3	3517	25407	
PIONEER 34M95	110	41.7	20.9	*	8.7	94	83.2	18.1	36.4	7.1	43.6	3519	30413	39.7	18.8	*	7.3	99	82.0	22.7	42.3	6.3	36.6	3500	25717
PIONEER 35Y55	106	41.7	18.7	7.8	92	84.3	16.7	33.1	7.0	48.0	3570	27940	35.3	18.7	6.6	96	83.8	20.5	37.4	7.1	40.2	3699	24324		
RENK RK705RRYGCB	105	47.2	17.5	8.3	87	83.3	15.5	31.6	6.9	48.5	3280	27061	41.7	17.8	*	7.4	99	80.7	21.7	38.9	6.6	39.5	3293	24300	
RUPP 1XP50	108	42.1	18.2	7.7	81	80.9	19.7	37.9	7.1	42.8	3313	25275	35.2	21.2	*	7.5	99	78.0	25.6	44.5	6.5	32.0	3229	23997	
TRELAY 7012	105	46.3	18.2	8.5	91	83.4	16.7	32.8	7.2	47.4	3328	28130	43.8	15.9	6.9	99	83.9	18.5	34.8	7.1	44.3	3458	23858		
VIGORO V49R46	108	43.1	18.8	8.1	97	83.0	16.5	32.3	6.6	48.9	3385	27414	37.0	19.9	*	7.3	98	81.0	21.7	38.5	6.6	39.5	3407	24761	
Average		43.3	19.4	8.4	91	82.8	17.7	34.8	7.1	45.3	3404	28521	37.5	18.9	7.0	98	81.3	22.0	40.0	6.5	37.2	3453	24180		
Highest		47.2	21.9	9.4	98	84.4	22.0	41.5	8.0	49.8	3570	32649	43.8	21.2	7.6	100	83.9	25.6	45.4	7.8	44.3	3699	26915		
Lowest		41.0	17.5	7.6	81	79.6	15.3	31.0	6.5	37.5	3178	25275	34.7	15.9	6.4	91	78.0	18.5	34.8	5.9	30.4	3229	21727		
CV (%)		4.7	5.5	7.2	7	2.4	16.5	12.3	4.8	9.4	4	7	6.3	9.9	7.8	2	1.8	13.4	8.8	5.2	8.5	3	9		
LSD (.05%)		2.4	1.3	0.7	7	2.3	3.4	5.0	0.4	5.0	169	2289	2.8	2.2	0.6	2	1.7	3.5	4.2	0.4	3.8	129	2599		

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid

TABLE 8L. - Multiple year data continued on page 40.

2003		HURON - ZONE 3												TRIAL AVERAGE											
Brand / Hybrid	RM	%DM	GT/A	DT/A	%Std	%ivd	%adf	%ndf	%cp	strch	MK/T	MK/A	%DM	GT/A	DT/A	%Std	%ivd	%adf	%ndf	%cp	strch	MK/T	MK/A		
BLACKLAND GENETICS BG4395	105	32.4	20.7	6.7	92	82.5	22.2	41.5	7.4	32.1	3591	23980	36.5	19.8	7.2	88	81.0	22.1	41.4	7.6	34.7	3438	24537		
CORN BELT C599	109	33.2	20.3	6.7	100	80.5	23.6	43.1	6.6	33.6	3427	22986	36.4	20.6	*	7.5	97	81.5	21.2	39.3	6.5	38.7	3466	26032	
DAIRYLAND HI DF-4200	108	36.1	17.9	6.4	98	82.1	23.3	43.9	6.4	33.3	3558	22857	39.8	18.3	7.3	95	82.7	20.6	39.2	6.8	39.2	3501	25346		
DAIRYLAND STEALTH-1606	106	34.0	20.0	6.8	99	80.8	23.1	41.8	6.5	35.0	3444	23276	37.4	19.1	7.1	96	82.1	20.2	37.4	6.5	41.1	3465	24550		
DEKALB DKC58-24 (RR/YGCB)	108	35.9	19.6	7.0	99	81.2	22.6	41.9	6.5	35.4	3463	24311	39.8	18.2	7.2	99	81.4	20.9	39.5	6.6	39.3	3389	24427		
GOLDEN HARVEST H-8562	106	32.5	19.5	6.3	93	78.0	27.5	48.2	6.4	28.6	3240	20509	37.6	19.0	7.1	91	80.2	22.7	41.3	6.7	37.2	3333	23711		
GOLDEN HARVEST H-8618Bt	106	32.3	20.8	6.8	98	79.6	27.3	48.9	6.4	25.9	3392	22861	36.9	20.1	7.4	95	80.5	23.7	43.4	6.6	33.7	3402	25162		
GOLDEN HARVEST H-8906	111	33.1	20.8	6.9	100	80.3	24.7	45.0	6.9	31.2	3420	23530	37.3	20.5	*	7.6	98	82.3	20.9	39.1	6.8	39.2	3511	26716	
GREAT LAKES 5961Bt	111	32.9	20.3	6.7	100	83.3	20.9	38.7	6.7	36.4	3644	24338	38.4	19.6	*	7.5	98	83.5	19.1	36.1	6.6	41.5	3558	26538	
GREAT LAKES 6148RR	111	33.1	20.3	6.7	100	82.5	21.8	39.6	6.5	36.3	3582	24019	36.9	20.8	*	7.7	99	82.4	20.1	37.7	6.6	40.2	3516	27026	
GREAT LAKES Quad-5Bt	108	34.2	19.5	6.7	98	79.8	24.6	44.3	6.8	32.2	3376	22535	38.5	19.1	7.4	98	82.0	21.0	39.0	6.9	38.4	3458	25421		
HIGH CYCLE HC560	110	32.7	19.3	6.3	100	79.1	27.1	48.6	6.5	27.9	3349	21077	37.8	19.7	7.4	96	80.9	23.0	42.1	6.9	35.9	3391	25267		
HIGH CYCLE HC7644Bt	105	32.8	19.7	6.4	97	80.0	24.5	43.8	7.5	29.9	3381	21697	37.7	20.0	*	7.5	94	80.2	22.3	40.6	7.5	35.5	3316	24753	
HIGH CYCLE HC7698Rb	107	32.7	19.2	6.3	99	82.1	22.9	41.9	6.5	33.5	3558	22330	38.2	18.0	6.8	98	81.3	20.4	39.4	6.6	36.4	3434	23424		
HIGH CYCLE HC7796Rb	110	33.9	19.1	6.4	98	80.7	24.9	44.3	6.3	30.9	3452	22179	39.0	18.6	7.2	98	81.8	21.2	38.9	6.5	39.1	3428	24716		
NK Brand N48-V8	105	34.4	22.0	**	7.6	100	78.6	27.2	48.8	6.5	27.5	3301	25014	39.1	20.0	**	7.8	97	80.3	23.7	43.9	6.4	33.7	3346	26117
NK Brand N58-D1	107	34.3	19.3	6.6	99	81.5	24.1	43.3	6.6	32.6	3515	23304	38.0	19.5	7.4	97	82.1	21.1	39.0	6.7	38.6	3463	25651		
NK Brand N59-Q9	106	33.0	21.0	6.9	98	82.5	21.7	40.4	6.3	32.9	3587	24781	37.6	20.0	7.4	96	82.9	19.7	37.3	6.4	39.4	3541	26341		
PIONEER 34M95	110	32.9	21.5	7.1	97	81.1	24.9	45.5	6.6	29.3	3504	24781	38.1	20.4	*	7.7	97	82.1	21.9	41.4	6.7	36.5	3508	26970	
PIONEER 35Y55	106	33.9	20.4	6.9	98	83.4	21.0	38.7	6.8	37.6	3654	25113	37.0	19.3	7.1	95	83.8	19.4	36.4	7.0	41.9	3641	25793		
RENK RK705RRYGCB	105	34.9	18.6	6.5	98	82.6	20.8	38.4	6.6	37.8	3575	23236	41.3	18.0	7.4	94	82.2	19.3	36.3	6.7	41.9	3382	24866		
RUPP 1XP50	108	30.8	19.8	6.1	95	78.9	26.9	47.3	6.2	27.2	3278	20020	36.0	19.7	7.1	92	79.3	24.1	43.2	6.6	34.0	3273	23097		
TRELAY 7012	105	36.7	19.0	6.9	99	80.4	24.3	44.2	6.5	32.5	3405	23598	42.3	17.7	7.4	96	82.6	19.8	37.3	6.9	41.4	3397	25195		
VIGORO V49R46	108	34.4	17.9	6.2	99	80.9	24.2	43.7	6.1	32.3	3473	21464	38.2	18.9	7.2	98	81.6	20.8	38.2	6.4	40.2	3422	24546		
Average		33.6	19.8	6.7	98	80.9	24.0	43.6	6.6	32.2	3465	23075	38.2	19.4	7.4	96	81.7	21.2	39.5	6.7	38.2	3441	25258		
Highest		36.7	22.0	7.6	100	83.4	27.5	48.9	7.5	37.8	3654	25113	42.3	20.8	7.8	99	83.8	24.1	43.9	7.6	41.9	3641	27026		
Lowest		30.8	17.9	6.1	92	78.0	20.8	38.4	6.1	25.9	3240	20020	36.0	17.7	6.8	88	79.3	19.1	36.1	6.4	33.7	3273	23097		
CV (%)		4.6	6.3	4.9	3	1.8	7.6	6.5	5.6	10.4	4	7	5.3	7.4	6.9	4	2	12.3	9.1	5.2	9.5	4	8		
LSD (.05%)		1.8	1.5	0.4	3	1.7	2.1	3.3	0.4	4.0	145	1771	1.4	1.0	0.3	3	1.1	1.8	2.4	0.2	2.4	85	1285		

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid

TABLE 8L. - Multiple year data continued on page 41.

TABLE 8L. Continued from page 38

IONIA, INGHAM & HURON COUNTY SILAGE TRIALS - LATE (105 Day and Later)

ZONE 2

2002 & 2003 Averages		IONIA - ZONE 2											INGHAM - ZONE 2										
Brand / Hybrid	RM	%DM	GT/A	DT/A	%Std	%ivd	%adf	%ndf	%cp	strch	MK/T	MK/A	%DM	GT/A	DT/A	%Std	%ivd	%adf	%ndf	%cp	strch	MK/T	MK/A
DAIRYLAND STEALTH-1606	106	42.2	16.4	6.9	94	83.1	17.1	33.3	7.0	47.2	3438	23158	40.4	18.1	7.2	100	82.4	19.4	35.8	6.6	42.4	3428	23861
GOLDEN HARVEST H-8906	111	42.6	18.5	* 7.8	95	83.1	18.0	34.9	6.9	45.2	3464	26345	42.6	19.1	** 8.0	94	83.2	18.1	34.9	6.8	43.4	3460	26611
GREAT LAKES Quad-5Bt	108	43.6	17.9	* 7.8	98	83.4	17.5	33.8	7.3	45.8	3430	26009	42.1	17.3	7.2	99	82.5	19.7	36.8	6.9	40.4	3424	23651
HIGH CYCLE HC560	110	42.4	17.6	7.5	94	82.2	19.3	36.7	7.5	43.0	3398	24688	39.4	19.5	* 7.7	93	82.0	20.9	38.4	7.0	38.4	3459	25515
NK Brand N48-V8	105	42.9	18.6	* 8.0	93	80.8	21.3	40.1	6.7	39.5	3312	25806	40.5	17.6	7.1	94	80.4	22.9	42.5	6.4	33.2	3360	23073
PIONEER 34M95	110	40.4	20.0	** 8.1	96	83.0	19.1	37.5	7.1	41.8	3549	27742	41.9	19.3	** 8.0	98	82.1	21.7	41.0	6.4	37.7	3458	26777
PIONEER 35Y55	106	40.1	18.1	7.3	96	84.4	16.9	32.8	7.2	46.7	3627	25495	39.4	17.9	7.0	91	84.1	18.9	35.5	7.2	42.2	3618	24420
VIGORO V49R46	108	43.2	17.0	7.3	97	82.9	17.1	33.1	6.7	47.4	3385	24051	42.8	17.5	7.2	96	81.8	19.7	36.6	6.7	42.5	3363	23559
Average		42.2	18.0	7.6	95	82.9	18.3	35.3	7.0	44.6	3450	25412	41.1	18.3	7.4	96	82.3	20.2	37.7	6.7	40.0	3446	24683
Highest		43.6	20.0	8.1	98	84.4	21.3	40.1	7.5	47.4	3627	27742	42.8	19.5	8.0	100	84.1	22.9	42.5	7.2	43.4	3618	26777
Lowest		40.1	16.4	6.9	93	80.8	16.9	32.8	6.7	39.5	3312	23158	39.4	17.3	7.0	91	80.4	18.1	34.9	6.4	33.2	3360	23073
CV (%)		0.1	8.2	4.0	0	0.1	13.7	0.1	0.0	0.1	2	32	0.1	12.0	4.4	0	0.1	11.8	0.1	0.0	0.1	2	42
LSD (.05%)		1.8	1.0	0.5	4	1.5	2.0	3.0	0.3	3.1	115	1626	2.1	1.5	0.5	4	1.1	2.1	2.7	0.3	2.6	88	1960

2001 - 2003 Averages		IONIA - ZONE 2											INGHAM - ZONE 2											
Brand / Hybrid	RM	%DM	GT/A	DT/A	%Std	%ivd	%adf	%ndf	%cp	strch	MK/T	MK/A	%DM	GT/A	DT/A	%Std	%ivd	%adf	%ndf	%cp	strch	MK/T	MK/A	
DAIRYLAND STEALTH-1606	106	39.1	19.2	7.3	96		18.7	35.9	7.3				38.9	19.5	* 7.5	100		20.3	37.5	6.6				
GOLDEN HARVEST H-8562	106	37.5	21.2	* 7.8	91		20.8	39.5	7.6				38.2	20.2	** 7.7	97		21.9	40.3	6.4				
NK Brand N48-V8	105	40.0	20.4	** 8.0	95		22.5	42.3	7.0				38.8	19.6	* 7.5	96		24.0	44.2	6.4				
NK Brand N59-Q9	106	37.6	21.6	** 8.0	94		18.7	36.4	7.3				37.0	20.7	* 7.6	99		20.9	38.8	6.3				
Average		38.5	20.6	7.8	94		20.2	38.5	7.3				38.2	20.0	7.6	98		21.8	40.2	6.4				
Highest		40.0	21.6	8.0	96		22.5	42.3	7.6				38.9	20.7	7.7	100		24.0	44.2	6.6				
Lowest		37.5	19.2	7.3	91		18.7	35.9	7.0				37.0	19.5	7.5	96		20.3	37.5	6.3				
CV (%)		0.1	8.4	4.0	0		11.9	0.1	0.0				0.1	11.9	4.5	0		10.7	0.1	0.0				
LSD (.05%)		1.3	0.9	0.4	3		1.5	2.2	0.2				1.5	1.3	0.4	3		1.5	2.0	0.3				

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid

TABLE 8L. Continued from page 39

2002 & 2003 Averages		HURON - ZONE 3											TRIAL AVERAGE										
Brand / Hybrid	RM	%DM	GT/A	DT/A	%Std	%ivd	%adf	%ndf	%cp	strch	MK/T	MK/A	%DM	GT/A	DT/A	%Std	%ivd	%adf	%ndf	%cp	strch	MK/T	MK/A
DAIRYLAND STEALTH-1606	106	40.7	18.8	7.5	100	81.7	19.7	37.0	6.2	42.1	3354	24276	41.1	17.8	7.2	98	82.4	18.7	35.4	6.6	43.9	3406	23765
GOLDEN HARVEST H-8906	111	36.9	21.5	8.0	100	81.6	21.0	39.1	6.3	38.9	3462	26628	40.7	19.7 *	7.9	96	82.6	19.0	36.3	6.7	42.5	3462	26528
GREAT LAKES Quad-5Bt	108	38.4	19.8	7.6	99	80.8	21.5	39.4	6.2	39.0	3363	24704	41.4	18.3	7.5	99	82.2	19.6	36.7	6.8	41.7	3406	24788
HIGH CYCLE HC560	110	36.9	19.9	7.4	96	80.2	23.2	42.3	6.3	35.8	3357	23791	39.6	19.0	7.5	94	81.5	21.1	39.1	6.9	39.1	3405	24665
NK Brand N48-V8	105	38.8	22.3 **	8.6	100	79.4	24.0	44.0	6.0	34.1	3280	27413	40.7	19.5 *	7.9	96	80.2	22.7	42.2	6.4	35.6	3317	25430
PIONEER 34M95	110	37.4	21.8 *	8.2	98	81.1	23.0	42.9	6.0	34.9	3446	27146	39.9	20.4 **	8.1	98	82.1	21.3	40.5	6.5	38.1	3484	27221
PIONEER 35Y55	106	38.1	20.5	7.8	99	82.8	20.0	37.4	6.5	41.0	3537	26465	39.2	18.8	7.4	95	83.8	18.6	35.2	7.0	43.3	3594	25460
VIGORO V49R46	108	40.2	18.3	7.4	100	81.8	20.2	37.8	6.0	40.3	3372	23951	42.1	17.6	7.3	98	82.2	19.0	35.8	6.5	43.4	3373	23853
Average		38.4	20.4	7.8	99	81.2	21.5	40.0	6.2	38.2	3397	25547	40.6	18.9	7.6	97	82.1	20.0	37.7	6.7	41.0	3431	25214
Highest		40.7	22.3	8.6	100	82.8	24.0	44.0	6.5	42.1	3537	27413	42.1	20.4	8.1	99	83.8	22.7	42.2	7.0	43.9	3594	27221
Lowest		36.9	18.3	7.4	96	79.4	19.7	37.0	6.0	34.1	3280	23791	39.2	17.6	7.2	94	80.2	18.6	35.2	6.4	35.6	3317	23765
CV (%)		0.1	8.5	3.3	0	0.1	8.2	0.1	0.0	0.1	2	32	0.1	9.9	4.1	0	0.1	11.1	0.1	0.0	0.1	2	35
LSD (.05%)		1.7	1.2	0.4	2	1.1	1.5	2.3	0.3	2.6	88	1487	1.1	0.7	0.3	2	0.7	1.1	1.5	0.2	1.6	56	979

2001 - 2003 Averages		HURON - ZONE 3											TRIAL AVERAGE										
Brand / Hybrid	RM	%DM	GT/A	DT/A	%Std	%ivd	%adf	%ndf	%cp	strch	MK/T	MK/A	%DM	GT/A	DT/A	%Std	%ivd	%adf	%ndf	%cp	strch	MK/T	MK/A
DAIRYLAND STEALTH-1606	106	39.4	21.3	8.2	90		18.7	36.2	6.6				39.1	20.0	7.7	95		19.2	36.5	6.8			
GOLDEN HARVEST H-8562	106	33.7	23.1	7.8	78		22.7	41.8	6.9				36.5	21.5	7.8	89		21.8	40.5	7.0			
NK Brand N48-V8	105	38.0	24.0 **	9.0	82		22.3	42.1	6.3				38.9	21.3 **	8.2	91		22.9	42.9	6.6			
NK Brand N59-Q9	106	34.0	22.1	7.5	88		20.7	34.7	6.6				36.2	21.5	7.7	94		20.1	36.6	6.7			
Average		36.3	22.6	8.1	85		21.1	38.7	6.6				37.7	21.1	7.8	92		21.0	39.1	6.8			
Highest		39.4	24.0	9.0	90		22.7	42.1	6.9				39.1	21.5	8.2	95		22.9	42.9	7.0			
Lowest		33.7	21.3	7.5	78		18.7	34.7	6.3				36.2	20.0	7.7	89		19.2	36.5	6.6			
CV (%)		0.1	10.4	4.3	0		8.1	0.1	0.0				0.1	10.5	4.4	0		10.2	0.1	0.0			
LSD (.05%)		1.3	1.2	0.4	7		1.2	4.0	0.2				0.8	0.6	0.2	3		0.8	1.2	0.1			

** Highest Yielding Hybrid

* Not Significantly Different from Highest Yielding Hybrid